

CAVIBLASTER DIESEL ENGINE WITH ELECTRIC START SY-0625-DE

Specifications and Options

Designed as a dependable & durable, yet lightweight and flexible solution for the low budget cleaning operations, the 0625-DE has proven to be a great first step into cavitation

Accessories Included:

Feed Hose (15 feet) with electrical feed pump, Unbalanced Gun, High Pressure Hose (50 feet) and Battery Start

Optional Accessories:

Aditional pressure hose available in 50 ft or 100 ft sections Max. Pressure hose length recommended up to 300 ft (100 meters) total









UAE•UK•INDIA•AZERBAIJAN

CAVIBLASTER DIESEL ENGINE WITH ELECTRIC START SY-0625-DE





SKID Dimensions		
Length w/o handle	27" / 69 cm	
Length w handle	3 3" / 84 cm	
Width wheel base	22" / 56 cm	
Height	21" / 53 cm	
Weight	143 Lbs / 65 Kg	

Pump System		
Pressure Pump	General EZ3 045	
Pump Material / Type	Brass / Positive Displacement	
Flow Rate	4.5gpm / 17.1 Lpm	
Nozzle Pressure	2,500 psi / 172 Bar	
Hose Diam/Max Lgth	3 /8" - 300 ft / 100 m	

Tools	
Tool Type	Unbalanced Gun

Shipping Dimensions		
Pallet 40x48x36"	240 Lbs Gross weight	

Drive System		
Engine	Kohler Diesel KD420	
Engine Type	4-Stroke	
Co oling System	Air	
Ignition System	Direct Injection	
Lubrication	Full-Pressurew/filter	
Max Output HP/kW	9.1HP/6.8kW	
Clutch	Direct Drive	
Starting System	Electric Starter	

Ideal For	
Small to Mid size Boat Hulls	
Piers, Pilings & Seawalls	
Running gear & Out drivers	
Pools & Indoor Underwater Instalations	





UAE•UK•INDIA•AZERBAIJAN

SYNERGY INFRASTRUCTURE






CAVIBLASTER DIESEL ENGINE WITH ELECTRIC START SY-0625-DE

Contact us

29th Street, Amman Road, Behind Al Huraiz Est. For Industry, 9 Al Qusais, Industrial Area – 1, Dubai, United Arab Emirates

7	Tel	:	009714 2580533 🖿
Ð	Fax	:	009714 2580534
	UAE	:	00971505648178 🗖
	UK	:	00447951966260 💥
	Website	:	www.synergyequipment.com
	Email	:	ram@synergyequipment.com
	For Sale	:	info@synergyequipment.com



SYNERGY TEAMWORK MAKES THE DREAM WORK





S