




SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK • INDIA • AZERBAIJAN



Specifications and Options

This powerful unit generates a super stream of high velocity cavitation for high efficient cleaning, it can strip fouling and corrosion to bare metal if desired

Accessories Included:

Feed Hose (15 feet), By-Pass Hose (15 feet), High Pressure Hose (50 feet), Zero-Thrust Balanced Gun, Battery Start

Optional Accessories:

Additional pressure hose available in 50 ft or 100 ft sections
Max. Pressure hose length recommended up to 300 ft (100 meters) total



CAVIBLASTER DIESEL ENGINE 2828-D



SKID Dimensions	
Length	66" / 168 cm
Width	44" / 122 cm
Height	57" / 145 cm
Weight	2,400 Lbs / 1,088 kg
Fuel Containment Pan	YES
Lifting Eyes / FL Slots	YES / YES

Feed System	
Feed Pump	Bronze / Centrifugal
Lift	6 Lft / 2 meter
Flow Rate	100 gpm / 380 Lpm
Driver	Electric Motor

Drive System	
Driver	Electric Motor
Enclosure	TEFC / IP55
Frame	364T
Hertz	50
Voltage	380 / 400 Volts
Phase	3 Phase
Out put	53 HP / 40 kW
Speed RPM	1,500 Rpm
Transmission	Direct Drive
Motor Control	Soft Start
Control Box	NEMA 4X / IP 56

Pressure Pump System	
Pressure Pump	AR RTD 100-200N
Pump Material / Type	NPP / Positive Displacement
Flow Rate	30 gpm / 114 Lpm
Nozzle Pressure	3,000 psi / 200 Bar
Hose Diam/Max Lgth	3/4" - 300 ft / 100 m

Shipping Dimensions	
Pallet	2,650 Lbs Gross weight
48x63x56"	

SYNERGY INFRASTRUCTURE






SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK • INDIA • AZERBAIJAN



CAVIBLASTER DIESEL ENGINE 2828-D

Contact us

29th Street, Amman Road, Behind Al Huraiz Est. For Industry, Al Qusais, Industrial Area – 1, Dubai, United Arab Emirates

- Tel : 009714 2580533
- Fax : 009714 2580534
- UAE : 00971505648178
- UK : 00447951966260

- Website : www.synergiequipment.com
- Email : ram@synergiequipment.com
- For Sale : info@synergiequipment.com

