

UNDERWATER HYDRAULIC CHIPPING HAMMER SY-CH18311



The Stanley **CH18311** Chipper is a compact, hydraulic powered, underwater chipping hammer used for medium chipping of concrete, masonry and rock.

SPECIFICATIONS

Steel Capacity	.580 Hex Shank, Round Collar Tool Bits
Handle Type	"D" Handle, with Inside Trigger
Circuit Type	Open Center
Flow Range	7-9 gpm / 26-34 lpm
Optimum Flow	8 gpm / 30 lpm
Working Pressure	1500-2000 psi / 105-140 bar
Full Relief Setting	2250 psi / 155 bar
Weight (less tool bit)	18.2 lbs / 8.2 kg
Length	20" / 51 cm
Hydraulic Ports	-6 SAE O-ring
Couplers	No (See Accessories)
Hose Whips	Yes ($\frac{3}{8}$ " NPT Male thread)

FEATURES

- Ergonomic "D" handle with inside trigger
- Stainless Steel spool and fasteners
- Handle is Plastisol coated for diver comfort
- Uses standard .580 hex shank, round collar tool bits
- High power to weight ratio
- Operates in any position



The ergonomic "D" handle with inside trigger prevents accidental operation of the tool. The handle is Plastisol coated for diver comfort. The **CH18** has a slide latch design tool bit retainer that will accept .580 hex shank, round collar tool bits. Painted hi-visibility yellow.



UNDERWATER HYDRAULIC CHIPPING HAMMER SY-CH18311

ORDERING INFORMATION

PART NUMBER

CH18311 Chipping Hammer, Underwater, .580 Hex Shank, Round Collar, Slide Retainer, less couplers

ACCESSORIES

- 03971** Flush-Face Coupling Set, 3/8" NPT
- 03974** Flush-Face Coupling Set, 1/2" NPT
- 31848** Dual Hose, 50' x 1/2", with couplers
- 31972** Dual Hose, 25' x 1/2", with couplers
- 58633** Twinned Hose, 25' x 1/2", with couplers
- 58634** Twinned Hose, 50' x 1/2", with couplers
- 02278** Flat Chisel, 1" x 18", .580 Hex Shank, Round Collar
- 02279** Bull Point, 1" x 18", .580 Hex Shank, Round Collar
- 03690** Chisel Bit, 1" x 9", .580 Hex Shank, Round Collar
- 03963** Chisel Bit, 2" x 5", .580 Hex Shank, Round Collar

When hydraulic hose exceeds 100' (30.4 m) in length, increase I.D. of both pressure and return hose. For more information, consult Stanley Hydraulic Tools.

IMPORTANT




To fill out a Product Warranty Recording form and for information on your warranty visit stanleyhydraulic.com and select the Warranty tab.






Note: The warranty recording form must be submitted to validate the warranty.

UNDERWATER HYDRAULIC CHIPPING HAMMER SY-CH18311

CH15*3* Chisels 0.580 Hex x 2-1/2" Shank (Oval Collar)**


Description	Moil Point			
Part Number	412000	412010	412020	
Overall Length	230mm	305mm	450mm	
Blade Size/Shape	Pointed end			
Description	Narrow Chisel			
Part Number	412100	412110	412120	
Overall Length	230mm	305mm	450mm	
Blade Size/Shape	Flat edge end 20mm wide			
Description	Scaling Chisel			
Part Number	412290			
Overall Length	230mm			
Blade Size/Shape	Flat edge end 75mm wide			

CH15*2*/CH18 Chisels 0.580 Hex x 2-1/2" Shank (Round Collar)**




Description	Moil Point			
Part Number	02279			
Overall Length	18"			
Blade Size/Shape	Pointed End			
Description	Narrow Chisel			
Part Number	02278	03690		
Overall Length	18"	9"		
Blade Size/Shape	Flat edge end 7/8" wide			
Description	Scaling Chisel			
Part Number	03963			
Overall Length	9"			
Blade Size/Shape	Flat edge end 2" wide			

UNDERWATER HYDRAULIC CHIPPING HAMMER SY-CH18311

Contact us

 29th Street, Amman Road, Behind Al Huraiz Est. For Industry,
Al Qusais, Industrial Area – 1,
Dubai, United Arab Emirates

-  Tel : 009714 2580533 
-  Fax : 042516664 
-  UAE : 00971505648178 
-  UK : 00447951966260 

-  Website : www.synergiequipment.com
-  Email : ram@synergiequipment.com
-  For Sale : info@synergiequipment.com

